Activity/ Material	Hazard	Severit v 1-10	Likelihoo d 1-10	Preventative/Risk Reduction Measure	Result
Working Area	Blocking exits/traffic flow	4	1	Ensure area where setting up is not blocking emergency exits or traffic patterns. Ask to be moved to a better spot to ensure emergency exits are accessable	Low
Materials/Paints	Child eats paint	5	1	Place equipment / paints within reach of painter where visability is always possible and out of child's reach	Low
Face Painting	Paint brush in eye	2	1	Do not allow people to crowd the face painter. Place hand on clients head lightly or place under chin to feel for early movement to allow some time to move the brush out of the way. Wriggling children or persons exhibiting muscle control difficulties or involuntary movements should not be painted near the eyes. Do not paint anyone under 3yrs	Low
Working Area	Water slipping hazard	5	1	Ensure any liquid spills are cleaned up immediatley. Water to be stored in closed containers until required and waste water stored in sutable containers out of reach	Low
Face Painting	Allergic reaction to paints	5	1	Disclaimer to be displayed at all times. If parent/guardianis unsure offer a skin test on the inner elbow, and if after 30mins there is no reaction - go ahead and paint them. Under 3's will not be painted. If an allergic reaction occurs, wash with water and seek medical advice. In the event of anaphylactic shock call 999 and place in recovery position. Do not paint children under 3yrs old.	Low

Equipment	Contamination of products and equipment by co workers or customers	3	1	Ensure health and safety standards and practises are explained to all staff. One sponge per customer, change water frequently, clean and disinfect brushes after each event. Working set up should keep products out of the reach of the public to reduce exposure to risk. Do not allow other people to handle products and equipment. If the product has been compromised, put away to be cleaned later. If not useable then throw away. If equipment has been compromised, put away for cleaning later per usual methods. Arrange work setup to restrict access as much as possible - arrange chairs to encourage people to queue opposite the working area.	Low
Clients / Members of the Public	Contagious or obvious conditions, illness or wounds	3	1	If a person appears to be ill, has an obvious skin condition/open sores/wounds - DO NOT PAINT. Do not paint anyone who is or appears to be contagious. Always use one sponge per person. Always change water frequently and rinse brushes well.	Low
Manual Handling	Lifting children into face painting chair - back injury to artist	3	1	Do not lift anyone - have the parent/guardian do it if child is unable to get into the chair unaided. Work seated with the child facing you or have the child stand whilst you sit.	Low
Equipment	Chair tipping (customers) causing injury	2	2	Hold chair steady whilst persons are getting on or off. Ensure chair is on a level surface. A cushion can be used to help keep child upright and prevent them sliding out of the back. Eiher paint with the child standing or have the parent support them whilst they are being painted or have them stand.	Low
Equipment	Cosmetic glitter in the eye	2	2	Ask customer to close their eyes whilst glitter is applied and shield eyes whilst applying. Always use cosmetic glitters.	Med
Face Painting	Allergic reactions to foods eg nuts. Risk of cross contamination in paints, brushes and water used when painting an individual with a food allergy if the person painted before them has recently eaten that specific food.	10	3	In this instance we would not be able to paint the person with the allergy as the risk is too severe. Parents of children with a severe allergy would make artist aware before their child is seated anyway as per our displayed disclaimer. None of our make up contain any of the 14 listed allergens.	Med

October 2023 www.fantasycastles.co.uk